

| Serial | PR No. | Document Date | Item Code | PR Line Description | PR Qty | Unit | Buyer | Buyer site | EMAIL ADDRESS | PR Status | RFQ Closing Dated |
|--------|----------|---------------|------------|---|--------|------|--------------------------|------------|--|------------|-------------------|
| 1 | 11503083 | 16-May-2015 | SPPZZ01171 | LOCK NUTS 2385047GHIERA KM40 M200x3 | 2.00 | Each | MR. KUMPU PHUSAKUL | BKK | KumpuP@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 2 | 11502763 | 12-May-2015 | SPPZZ15213 | BEARING 6008-2Z | 4.00 | Each | MR. KUMPU PHUSAKUL | BKK | KumpuP@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 3 | 11502774 | 12-May-2015 | SPPZZ19126 | O-RING P/N 60K-40100 FOR TRANSMISSION OF FANTUZZI | 2.00 | Each | MR. KUMPU PHUSAKUL | BKK | KumpuP@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 4 | 11502774 | 12-May-2015 | SPPZZ19127 | O-RING ID.30x3.55 MM.(VITON) FOR FANTUZZI (OLD P/N 60K-40106) | 2.00 | Each | MR. KUMPU PHUSAKUL | BKK | KumpuP@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 5 | 11503085 | 16-May-2015 | SPPZZ28483 | LOCKING WASHER TYPE AW40 DIA.200 mm.(VALUE"U"=8mm.) | 2.00 | Each | MR. KUMPU PHUSAKUL | BKK | KumpuP@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 6 | 11503053 | 15-May-2015 | SPPZZ31729 | ANTI-EXTRUSION RING & GASKET TAB.30.D010.023 POS.08 P/N.10.GB2.452048 (OLD 10.GB2.452018) + | 2.00 | Each | MR. KUMPU PHUSAKUL | BKK | KumpuP@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 7 | 11503034 | 16-May-2015 | SPPZZ38590 | BIT SUPPORT DWG.MMDDD006639 FOR SLAB CARRIER | 2.00 | Each | MR. KUMPU PHUSAKUL | BKK | KumpuP@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 8 | 11503028 | 15-May-2015 | SPPZZ38602 | INLINE HYDRAULIC TEST POINT 3/4" BSP M/F P/N SNA04 FOR FANTUZZI | 10.00 | Each | MR. KUMPU PHUSAKUL | BKK | KumpuP@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 9 | 11503028 | 15-May-2015 | SPPZZ38603 | INLINE HYDRAULIC TEST POINT 1/4" BSP M/F P/N SNA01 FOR FANTUZZI | 50.00 | Each | MR. KUMPU PHUSAKUL | BKK | KumpuP@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 10 | 11503028 | 15-May-2015 | SPPZZ38613 | INLINE HYDRAULIC TEST POINT 1/2" BSP M/F P/N SNA03 FOR FANTUZZI | 20.00 | Each | MR. KUMPU PHUSAKUL | BKK | KumpuP@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 11 | 11503009 | 15-May-2015 | SPPAZ03992 | FLEX.HOSE GH781-8L 750MM + METRIC FEMALE + ADAPTER FOR F1-F3 WORK ROLL CLAMP | 26.00 | Each | MR. PANUMAS SRIRITTHIDET | BKK | panumass@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 12 | 11502980 | 13-May-2015 | SPPAZ18796 | GEAR PUMP HPLPB-217DMLE-5E3B-170E3E3-ST FOR GM# 1-3 | 1.00 | Set | MR. PANUMAS SRIRITTHIDET | BKK | panumass@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 13 | 11502779 | 12-May-2015 | SPPZZ04531 | SEAL V-RINGS TYPE V-120S DWG.M74650 FOR DEFLECTOR ROLL SKM1,2 | 1.00 | Each | MR. PANUMAS SRIRITTHIDET | BKK | panumass@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 14 | 11502901 | 13-May-2015 | SPPZZ10295 | FLEXIBLE EXPANTION JOINT DN200 PN16(MAT.NBR) L=150 MM. | 1.00 | Each | MR. PANUMAS SRIRITTHIDET | BKK | panumass@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 15 | 11502939 | 13-May-2015 | SPPZZ10935 | PRESSURE REDUCING VALVE 3DR 16P5-5X/200Y/00M | 1.00 | Each | MR. PANUMAS SRIRITTHIDET | BKK | panumass@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 16 | 11503001 | 15-May-2015 | SPPZZ12468 | FLEX.HOSE TEST PRESSURE TYPE FAD-20 L=2000 mm. | 2.00 | Each | MR. PANUMAS SRIRITTHIDET | BKK | panumass@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 17 | 11503001 | 15-May-2015 | SPPZZ14130 | P_GAUGE P40C-W1/2"(0-16) +ADAPT+GASKET(SEE DETAIL) | 2.00 | Set | MR. PANUMAS SRIRITTHIDET | BKK | panumass@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 18 | 11502838 | 11-May-2015 | SPPZZ26655 | PRESSURE GAUGE 0-160 BAR SIZE 63 MM G1/4A,AB31-13 FOR HYD MOVEMENT SKM#1,2 | 4.00 | Each | MR. PANUMAS SRIRITTHIDET | BKK | panumass@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 19 | 11502838 | 11-May-2015 | SPPZZ26674 | PRESSURE GAUGE 0-250 BAR SIZE 63MM,G1/4A,(AB31-13) FOR HYD HGC SYSTEM SKM#1,2 | 10.00 | Each | MR. PANUMAS SRIRITTHIDET | BKK | panumass@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 20 | 11502791 | 11-May-2015 | SPPZZ36456 | SEAL KIT HYD.CYL. 2 1/2 CC2HLGS23 MC87.00 "PARKER" (RG 2 HLTS 171+PK252 HLL 01) FOR | 1.00 | Set | MR. PANUMAS SRIRITTHIDET | BKK | panumass@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 21 | 11502975 | 13-May-2015 | SPPZZ37231 | NEGATOR SPRING POS.177 P/N.568077 | 1.00 | Each | MR. PANUMAS SRIRITTHIDET | BKK | panumass@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 22 | 11503032 | 15-May-2015 | SPPZZ38617 | ปั๊มเพื่อองสร้าง (มีกล่อง) TADANO 300 HIAB | 1.00 | Each | MR. PANUMAS SRIRITTHIDET | BKK | panumass@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 23 | 11502880 | 15-May-2015 | SPPAZ06830 | DEFLECTOR ROLL DIA.400 MMDWG.A/74432 | 1.00 | Each | MR. PATIYUTH DECHPICHAI | BKK | PatiyuthD@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 24 | 11503002 | 15-May-2015 | SPPBZ35178 | ROLLER JACKET DIA.200 MM. MAT : ALLOY STEEL (DWG.003833 rev.C) | 2.00 | Each | MR. PATIYUTH DECHPICHAI | BKK | PatiyuthD@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 25 | 11502940 | 14-May-2015 | SPPZZ11785 | SHIM PLATE STAIN. STEEL W.150x0.2MM L=3000MM ; WITH MAT.CERT. | 1.00 | Each | MR. PATIYUTH DECHPICHAI | BKK | PatiyuthD@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 26 | 11502941 | 14-May-2015 | SPPZZ11787 | SHIM PLATE STAINLESS #304 W150x0.1 MM , L= 3000 MM ; WITH MAT.CERT. | 1.00 | Each | MR. PATIYUTH DECHPICHAI | BKK | PatiyuthD@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 27 | 11502924 | 14-May-2015 | SPPZZ11915 | DISC SPRING TYPE 016200 "SCHNORR" DIM=63x31x3 MM. P/N.016200 FOR MANDREL TENSION REEL SHL | 600.00 | Each | MR. PATIYUTH DECHPICHAI | BKK | PatiyuthD@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 28 | 11502938 | 14-May-2015 | SPPZZ20294 | COMPRESSION SPRING DWG.15075228 FOR CLAMP SEGMENT MANDREL TENSION REEL SHL | 10.00 | Each | MR. PATIYUTH DECHPICHAI | BKK | PatiyuthD@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 29 | 11502938 | 14-May-2015 | SPPZZ20295 | COMPRESSION SPRING DWG.15075229 FOR PAY UP REEL | 11.00 | Each | MR. PATIYUTH DECHPICHAI | BKK | PatiyuthD@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 30 | 11503014 | 14-May-2015 | SPPZZ35245 | FILTER BOARD S/N#MA50294 GM#4 EDDYCURRENT | 1.00 | Each | MR. PATIYUTH DECHPICHAI | BKK | PatiyuthD@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 31 | 11503014 | 14-May-2015 | SPPZZ35247 | OSCILLATOR DETECT PCB S/N#MA50219 GM#4 EDDY CURRENT | 1.00 | Each | MR. PATIYUTH DECHPICHAI | BKK | PatiyuthD@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 32 | 11503011 | 14-May-2015 | SPPZZ35267 | OSCILLATOR BOARD S/N MA50110 | 1.00 | Each | MR. PATIYUTH DECHPICHAI | BKK | PatiyuthD@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 33 | 11503052 | 15-May-2015 | SPPZZ37452 | BUSHING G54058 POS.2 (MMDDD006278) | 4.00 | Each | MR. PATIYUTH DECHPICHAI | BKK | PatiyuthD@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 34 | 11502881 | 14-May-2015 | SPPZZ38614 | SUPPORT DWG.MMDDD006547 FOR LOWER EXIT TABLE SKM#2 | 1.00 | Each | MR. PATIYUTH DECHPICHAI | BKK | PatiyuthD@ssi-steel.com | INCOMPLETE | 25-May-15 |

| Serial | PR No. | Document Date | Item Code | PR Line Description | PR Qty | Unit | Buyer | Buyer site | EMAIL ADDRESS | PR Status | RFQ Closing Dated |
|--------|----------|---------------|------------|---|--------|------|-------------------------|------------|--|------------|-------------------|
| 35 | 11502881 | 14-May-2015 | SPPZZ38615 | SUPPORT DWG.MMDDD006534 FOR LOWER EXIT TABLE SKM#2 | 2.00 | Each | MR. PATIYUTH DECHPICHAI | BKK | PatiyuthD@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 36 | 11502947 | 11-May-2015 | SPPZZ09502 | OIL SEAL(NBR)DIN 3760 AS D.180x200x15 TYPE RST,TC,CB | 1.00 | Each | MR. PHAIBOON ONCHAWIANG | BSP | PhaiboonO@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 37 | 11503078 | 14-May-2015 | SPPZZ09830 | OIL SEAL(FPM) D.40x52x7(P/N P10.225273) FOR BRAKE ASSEMBLY | 2.00 | Each | MR. PHAIBOON ONCHAWIANG | BSP | PhaiboonO@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 38 | 11502768 | 12-May-2015 | LUBBZ00083 | DELO 300 SAE 30 W (200 Lts) | 10.00 | DRUM | MR. SIRICHAJ PROMCHAN | BKK | SirichaiPr@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 39 | 11502978 | 13-May-2015 | LUBZZ00017 | ULTRA COOLANT CCN 38459582 (20 L/PAIL) (MSDS) | 15.00 | Pail | MR. SIRICHAJ PROMCHAN | BKK | SirichaiPr@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 40 | 11502892 | 14-May-2015 | SPPAZ28108 | CCTV LENS MODEL.EVV13VD660 "EVETAR" | 2.00 | Each | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 41 | 11502892 | 14-May-2015 | SPPCZ02601 | COLOR CAMERA MODEL WV-CP624 "PANASONIC" | 2.00 | Each | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 42 | 11502902 | 14-May-2015 | SPPZZ00249 | BREAKER 3P 800A.415V.S6HR800 65KA WITHDRAWABLE "ABB" | 1.00 | Set | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 43 | 11502903 | 14-May-2015 | SPPZZ00918 | SWITCH + IDROBOX ENCLOSURES WATERPROOF 1-GANG TYPE M9001+25501 ""BTICINO"" FOR SWITCH | 15.00 | Each | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 44 | 11502900 | 14-May-2015 | SPPZZ03751 | COMPRESSORS 380VAC 50Hz MODEL ZR108KC-TFD 92000BTU | 3.00 | Set | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 45 | 11502899 | 14-May-2015 | SPPZZ06925 | SELECTOR SWITCH ASW322 3 POS. 2NO+2NC DIA.=22MM "IDEC" | 4.00 | Each | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 46 | 11502894 | 14-May-2015 | SPPZZ11111 | THERMOCOUPLE TYPE S DOUBLE ELEMENT L=650 | 4.00 | Each | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 47 | 11502936 | 14-May-2015 | SPPZZ11674 | THERMOCOUPLE TYPE K SINGLE ELEMENT L=650 | 10.00 | Each | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 48 | 11502836 | 11-May-2015 | SPPZZ23189 | ELETROMAGNATIC FLOW METER MTG18A-150PD2LSAAAAAX-XX-X | 2.00 | Each | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 49 | 11502895 | 14-May-2015 | SPPZZ28490 | THERMOCOUPLE TYPE S SINGLE ELEMENT L=650 | 28.00 | Each | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 50 | 11503016 | 14-May-2015 | SPPZZ30140 | WIRE ROPE STEEL DIA. 16mm. 6x36WS+FC L.=113 mtr.(S/Z) ; FOR OHC #45,46 | 1.00 | Roll | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 51 | 11503016 | 14-May-2015 | SPPZZ30141 | WIRE ROPE STEEL DIA. 16mm. 6x36WS+FC L.=113 mtr.(Z/S) ;FOR OHC # 45,46 | 1.00 | Roll | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 52 | 11503017 | 14-May-2015 | SPPZZ31248 | FUSE HOLDER 160A 690V 3NP4070-0CH01 | 1.00 | Each | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 53 | 11502935 | 14-May-2015 | SPPZZ34871 | THERMOCOUPLE TYPE K SINGLE ELEMENT L=1400 | 4.00 | Each | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 54 | 11502976 | 14-May-2015 | SPPZZ35401 | RUBBER BELLOW FOR MASTER SWITCH TYPE VV64-03Z(M)P+03Z(M)P | 1.00 | Each | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 55 | 11503018 | 14-May-2015 | SPPZZ36415 | ET-RS 422/485 SERIAL CONVERTER | 1.00 | Each | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 56 | 11502290 | 11-May-2015 | SPPZZ37029 | MOTOR AC. 500KW 400/690V. 1488 RPM. IP.55 TYPE1LA8 357 " SIEMENS " | 1.00 | Each | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 57 | 11502932 | 14-May-2015 | SPPZZ37592 | POINTEK CLS 200 DIGITAL ORDER NO: 7ML56401DD000EB0 | 1.00 | Each | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |
| 58 | 11502973 | 14-May-2015 | SPPZZ38616 | CONTACTOR TYPE RM-12 220V. 50HZ "TENDEX" | 2.00 | Set | MR. TANAPOL PHETPHO | BKK | tanapolp@ssi-steel.com | INCOMPLETE | 25-May-15 |